

UPTOWN

GLAZE PORCELAIN TILE
60X60CM / 30X60CM



ITALIAN
FINESSE
AT ITS
FINEST

Behold a symphony of true artistry, inspired by the iconic elegance of Italian passions. Craftsmanship that's always true to sophistication and refined standards for living. Rejuvenate your world with premium tiles in various finishes, masterfully designed for evoking the high street ambience in any living or commercial space.



Uptown Latte Lappato YR5038CL 60x60cm Uptown Beige External R11 SR5038BR 30x60cm

A TOUCH OF SUBLIME CLASS

Sleek surfaces furnished with matt,
semi-polished and external textures for
distinctive tastes.



Uptown Bone YR5038A 60x60cm
Uptown Charcoal YR5038D 60x60cm
Uptown Style Patchwork 1/2/3/4 Multi YR5038A1/A2/A3/A4 60x60cm



Uptown Beige YR5038B 60x60cm Uptown Beige Mosaic KFS026B 30x30cm



THE
PERSONIFICATION
OF STYLE

Uptown Charcoal YR5038D 60x60cm Uptown Charcoal Horizontal KFS032D 30x30cm



Uptown Bone Lappato YR5038AL 60x60cm
Uptown Style Patchwork 1/2/3/4 Multi YR5038A1/A2/A3/A4 60x60cm



Uptown Bone Lappato SR5038AL 30x60cm



Uptown Charcoal YR5038D 60x60cm

MODERN CHARM UNCOVERED



Fulfil your contemporary ideals
with the pure aesthetics of an
European masterclass.

NATURAL



Uptown Bone
YR5038A 60x60cm
SR5038A 30x60cm



Uptown Beige
YR5038B 60x60cm
SR5038B 30x60cm



Uptown Latte
YR5038C 60x60cm
SR5038C 30x60cm



Uptown Charcoal
YR5038D 60x60cm
SR5038D 30x60cm

LAPPATO



Uptown Bone
YR5038AL 60x60cm
SR5038AL 30x60cm



Uptown Beige
YR5038BL 60x60cm
SR5038BL 30x60cm



Uptown Latte
YR5038CL 60x60cm
SR5038CL 30x60cm



Uptown Charcoal
YR5038DL 60x60cm
SR5038DL 30x60cm

EXTERNAL R11



Uptown Bone
YR5038AR 60x60cm
SR5038AR 30x60cm



Uptown Beige
YR5038BR 60x60cm
SR5038BR 30x60cm



Uptown Latte
YR5038CR 60x60cm
SR5038CR 30x60cm



Uptown Charcoal
YR5038DR 60x60cm
SR5038DR 30x60cm

DECORS



Uptown Style Patchwork 1 Multi
YR5038A1 60x60cm



Uptown Style Patchwork 2 Multi
YR5038A2 60x60cm




Uptown Style Patchwork 3 Multi
YR5038A3 60x60cm




Uptown Style Patchwork 4 Multi
YR5038A4 60x60cm




Uptown Bone Horizontal
KFS032A 30x30cm



Uptown Beige Horizontal
KFS032B 30x30cm



Uptown Latte Horizontal
KFS032C 30x30cm



Uptown Charcoal Horizontal
KFS032D 30x30cm



Uptown Bone Mosaic
KFS026A 30x30cm



Uptown Beige Mosaic
KFS026B 30x30cm



Uptown Latte Mosaic
KFS026C 30x30cm



Uptown Charcoal Mosaic
KFS026D 30x30cm

TYPE Glaze Porcelain (colour body)	TEXTURE Matte Lappato (L) External R11 (R)	SURFACE Structure	SHADE V3	TILES EDGES Rectified	DESIGN Random	SIZE 60x60cm (YR) 30x60cm (SR)
APPLICATION						
FLOOR	WALL	RESIDENTIAL	COMMERCIAL	HEAVY COMMERCIAL	OUTDOOR	WET AREA / EXTERNAL R11



TECHNICAL SPECIFICATIONS for Guocera Porcelain Tiles (B1a)

Ceramiche Guocera Porcelain Tiles are produced according to the specification of MS ISO 13006 (Annex G)

Description	MS ISO 13006 (Annex G)
Length and Width	±0.6%
Thickness	±5.0%
Straightness of Sides Rectangularity	±0.5% ±0.6%
Surface Flatness - Centre Curvature - Edge Curvature - Warpage	±0.5% ±0.5% ±0.5%
Surface Quality	Min. 95% defect free*
Water Absorption	≤ 0.5%
Breaking Strength - Thickness ≥ 7.5mm	Min. 1300N
Modulus of Rupture (MOR)	Min. 35N/mm ²
Abrasive Resistance Resistance to deep abrasion for unglazed tiles (Volum removed)	Dependent on product type Max. 175mm ³
Frost Resistance	Required (where frost exist)
Resistance to acids and alkalis (except hydrofluoric acids and its compound) Resistance to household chemicals and swimming pool salts (except to cleansing agents containing hydrofluoric acids and its compound)	Min. Class B Min. Class B
Stain Resistance - Glazed Tiles - Polished / Unglazed Tiles	Min. Class 3 Not Required*

* A minimum of 95% of the tiles be free from visible defects that would impair the appearance of a major area of tiles.

Random design of Uptown Charcoal YR5038D



- Random in multiple faces for design reference
- Note every carton may not contained complete set of random faces

PACKING DETAILS

SIZE (cm)	THICKNESS (mm)	PER CARTON			PER PALLET			PER NORMAL (GP) CONTAINER (MAX. 21.5 TONNES)		
		PIECES	SQ-M	WEIGHT (kg)	CARTON	SQ-M	WEIGHT (kg (including empty pallet))	PALLET	SQ-M	GROSS WEIGHT (kg)
60x60	9.5	4	1.44	32.00	32.00	46.08	1,049.00	20 plts	921.60	20,980.00
30x60	9.5	8	1.44	32.00	40.00	57.60	1,305.00	16 plts	1094.40	24,795.00

DECOR

60x60	9.5	4	1.44	32.00	-	-	-	-	-	-
30x30 Mosaic	9.5	6	0.53	12.00	-	-	-	-	-	-
30x30 Horizontal	9.5	6	0.53	12.00	-	-	-	-	-	-

SLIP RESISTANCE

The slip resistance test (Test Method in accordance with DIN 51130 and AS/NZS 4586-Appendix D) is also popularly known as the Ramp Test which involves an operator wearing a standard footwear walking on the test surface placed on an inclinable ramp. The inclination of the ramp is then progressively increased until the operator slips. The angle at which slipping occurs is used to establish a classification 'R' value.

The R values are expressed with a number from 9 to 13.

R9 indicates the lowest slip resistance level and R13 is the maximum.

R9 Entrance halls and stairways with direct access from the outside; restaurant and canteens, shop, surgery room, hospitals, schools.

R10 Communal bathrooms and showers, kitchens of small restaurants; garages and basements.

R11 Food manufacturing premises; medium sized restaurant kitchens; work areas soiled heavily with water and mud, workshops, laundries, hangers.

R12 Premises where foods with a high fat content such as dairy products and by-products, oils and cured meats are processed, kitchens of large restaurant, industrial departments where oily or greasy substances are in use; carparks.

R13 Areas where there are significant quantities of fats or greases; food processing premises.

COLOUR SHADE VARIATION GUIDE

V1 Uniform Appearance Tiles have uniform shade and texture with low, minimal variation.	V2 Slight Variation Tiles have slight variation in shade and texture.	V3 Moderate Variation Tiles have moderate variation in shade and texture.	V4 Random Variation Tiles have random and substantial variation in shade and texture such that any piece of tile may be totally different in shade to another tile.
---	---	---	---

Note:

- The accuracy of colours shown in this brochure is as close as the printing process will allow.
- Slight variations in size and shade are inherent in the manufacture of ceramic tiles. Tiles supplied are packed into cartons marked in accordance with relevant manufacturing standards. It is recommended that several cartons be opened and their contents checked and assembled to achieve an ideal colour combination.
- Responsibilities cannot be accepted for colour selection, matching or blending, once tiles have been laid. It is recommended to leave a tiling gap of at least 3mm during tiling.
- We reserve the right to amend the colour range or specifications of tiles and discontinue production of selected items at any time without prior notice.

GUOCERA MARKETING SDN. BHD. (37438-T)
GUOCERA MARKETING (INTERNATIONAL) SDN. BHD. (637199-K)

A Member of the Hong Leong Group

3rd & 5th Floor, Wisma Kemajuan, No.2, Jalan 19/1B, 46300 Petaling Jaya,
Selangor Darul Ehsan, Malaysia.

Hunting Line : +603-7958 7611/7922 **Domestic Fax :** +603-7621 2823

International Fax : +603-7958 2305/+603-7621 1131

BRANCHES

Penang +604-282 8598 | Melaka +606-334 0379/+606-334 4905

Kuantan +609-567 4722 | Kota Kinabalu +6088-431 599

Kuching +6082-258 927 | Singapore +65 6746 2611 (3 Lines)

GALLERY

SELANGOR - Ground & 1st Floor, Wisma Kemajuan, Petaling Jaya.

Tel : +603-7958 7611 (ext 230/300)

JOHOR - Unit A0103, A0104, (PTD 149221), Jalan Kencana Mas 2/1,

Kencana Perindustrian Tebrau III, 81100 Johor Bahru, Johor.

Tel: +607-351 9960

Opening Hours : Mon - Sat (9.00am - 6.00pm)